JX014V 1.25A Sensitive SCR

V


The JX014V SCR provides high dV/dt rate

Peak gate power	P_{GM}	2	W
Peak pulse voltage (T_j=25 ; non-repetitive,off-state;FIG.8)	V_{pp}	1	kV

unless otherwise specified

Symbol	Test Condition	Value			Unit
		MIN.	TYP.	MAX.	
I_{GT}	V_D=12V R_L=33	-	50	200	A
V_{GT}		-	0.6	0.8	V
V_{GD}	V_D=V_{DRM} T_j=110	0.2	-	-	V
I_L	I_G=1.2 I_{GT}	-	-	5	mA
I_H	I_T=0.05A	-	-	4	mA
dV/dt	V_D=800V T_j=110 R_{GK}=1k	200	-	-	V s
	V_D=800V T_j=110 R_{GK}=	1000	-	-	
t_{on}	I_G=10mA I_A=20mA I_R=2mA T_j=25	-	2	-	s
t_{off}		-	50	-	s

Symbol	Parameter	Value(MAX.)	Unit


J X 014 V
JieJie Microelectronics Co., Ltd.
Sensitive gate SCRs
Part number
V:SOT-223





FIG.1: Maximum power dissipation versus RMS on-state current

FIG.2: RMS on-state current versus case temperature

FIG.8 Test circuit for inductive and resistive loads to IEC-61000-4-5 standards.



Ref.	Dimensions					
	Millimeters			Inches		
	Min.	Typ.	Max.	Min.	Typ.	Max.
A	1.50	1.60	1.80	0.059		0.071
A1	0.01	0.06	0.10		0.002	
B	2.90	3.00	3.10	0.114		0.122
B1	0.60	0.70	0.80	0.024		0.031
C	0.22	0.26	0.32	0.009		0.013
D	6.30	6.50	6.70	0.248		0.264
E	3.30	3.50	3.70	0.130		0.146
F	4.40					
F1	2.20					
G						
H	1.50		2.00	0.059		0.079
J	6.70		7.30	0.264		0.287
K						

Information furnished in this document is believed to be accurate and reliable. However, Jiangsu JieJie Microelectronics Co., Ltd. assumes no responsibility for the consequences of use without consideration for such information nor use beyond it. Information mentioned in this document is subject to change without notice, apart from that when an agreement is signed, Jiangsu JieJie complies with the agreement. Products and information provided in this document have no infringement of patents. Jiangsu JieJie assumes no responsibility for any infringement of other rights of third parties which may result from the use of such products and information. This document supersedes and replaces all information previously supplied.

is a registered trademark of Jiangsu JieJie Microelectronics Co., Ltd.

Copyright © 2025 Jiangsu JieJie Microelectronics Co., Ltd. All rights reserved.